	ORDER FOR SUPPLIES OR SERVICES								PAGE 1 OF 16					
	ACT PURCH		DER/AGREEMENT NO.	2. DELIV	VERY ORDER	/CALL NO.	3. DATE OF ORD (YYYYMMMDD) 2004JAN21	ER/CAL		UISITION/PURCH RE	QUEST NO.	5. PRIORITY DOA4		
6. ISSUEL	D BY CODE W56HZV 7. A						ERED BY (If other t	han 6)	SEE	2305A	8. DELIVERY FOB			
AMS ING WAR	REN, MICH	X RO IGA	BLDG 231 (586)574-8901 AN 48397-5000 I@TACOM.ARMY.MIL TING.TACOM.ARMY.M	4IL		U.S (' ATT WAR	A DETROIT . ARMY TANK & TACOM) N: DCMAE-GJI REN, MI 483) 97-500				X DESTINATION OTHER (See Schedule if		
9. CONTR	ACTOR			CODE	0AK83	SCD: B			ELIVER TO F	ADP PT: HQ033 OB POINT BY (Date)		other) 11. X IF BUSINESS IS		
	•					_	•	(Y	YYYMMMDI	D)		X SMALL		
NAME AND ADDRESS	1153 HOWEL	GR.	D ENGINEERING, IN AND OAKS DRIVE MI. 48843-8511	1C.				12. DI	SCHEDULE SCOUNT TEI 30 Days			SMALL DISADVANTAGED WOMAN-OWNED		
	• TYPE:	RII	SINESS: Other Sma	all Rug	iness Deri	Forming in	•			ES TO THE ADDRESS	IN BLOCK			
14. SHIP 7		Б0.	JINESS: OTHER BINE	CODE	Incas reii		T WILL BE MADE		Block 15	COD	E HQ0337	MARK ALL		
SEE	SCHEDULE					DFA P.O	S - COLUMBUS S-CO/NORTH EN . BOX 182266 UMBUS OH	TITLE	MENT OPER	RATION		PACKAGES AND PAPERS WITH IDENTIFICATION NUMBERS IN BLOCKS 1 AND 2		
16. TYPE	DELIVERY, CALL	/	THIS DELIVERY ORDE	R IS ISSUED	ON ANOTHER C	GOVERNMENT AG	GENCY OR IN ACCORI	DANCE W	ITH AND SUBJE	ECT TO TERMS AND COM	NDITIONS OF ABOV	E NUMBERED CONTRACT.		
OF ORDER	PURCHASE	2	Reference your	Oral		-	6HZV04Q0146 specified herein.	, D	ated					
										MBERED PURCHASI AND AGREES TO PE		MAY PREVIOUSLY HAVE ME.		
								SIGNED MMMDD)						
Q P P	COLLEDIN B													
18. ITEM	NO. 19. S	СН	EDULE OF SUPPLIES/SI	DULE OF SUPPLIES/SERVICE 20. QUANTITY ORDERED/ ORDERED/ ACCEPTED* 21. 22. UNIT PRICE 23. AMOUNT ACCEPTED*							23. AMOUNT			
	SEE SCHEDULE CONTRACT TYPE: Firm-Fixed-Price KIND OF CONTRACT: Supply Contracts and Priced Orders													
			Government is 24. UNITED STATES OF AMERICA 25. TOTAL								25. TOTAL	\$81,500.00		
If differen	same as quantity ordered, indicate by X. If different, enter actual quantity accepted below quantity ordered and encircle. DAVID EPSKAMP / SIGNED / EPSKAMPD@TACOM.ARMY.MIL (586)574-4295 DIFFERENC CONTRACTING/ORDERING OFFICER								26. DIFFERENCES	3				
	Г		AN 20 HAS BEEN	ACCEPTEL	D AND CONE	DIME TO COM	PDACT EVCEDT AS	NOTE						
INSPECTED RECEIVED ACCEPTED, AND CONFORMS TO CONTRACT EXCEPT AS NOTED b. SIGNATURE OF AUTHORIZED GOVERNMENT REPRESENTATIVE c. DATE (YYYYMMMDD) d. PRINTED NAME AND TITLE OF AUTHORIZED GOVERNMENT REPRESENTATIVE								OF AUTHORIZE	D GOVERNMENT					
e. MAILING ADDRESS OF AUTHORIZED GOVERNMENT REPRESENTATIVE					VE	28. SHIP. NO.		29. D.O. VOU	CHER NO.	30. INITIALS				
f. TELEPHONE NUMBER g. E-MAIL ADDRESS						PARTIA FINAL	L	32. PAID BY		33. AMOUNT V	ERIFIED CORRECT FOR			
36. I CER	TIFY THIS AC	co	OUNT IS CORRECT AND I	PROPER F	OR PAYMEN	г.	31. PAYMENT				34. CHECK NU	MBER		
a. DATE	MMDD)		b. SIGNATURE AND	TITLE OF	CERTIFYING	OFFICER	PARTIA FINAL				35. BILL OF L	OF LADING NO.		
37. RECE	IVED AT	38. RECEIVED BY (Print) 39. DATE RECEIVED (YYYYMMMDD) 40. TOTAL CONTAINERS 41. S/R ACCOUNT NUMBER 42. S/R VOUCHER NO.							ER NO.					

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-P-0432

MOD/AMD

Page 2 **of** 16

Name of Offeror or Contractor: HIGHLAND ENGINEERING, INC.

SUPPLEMENTAL INFORMATION

NOTE:

Part Numbers currently associated with this item are:

- a. (76371) 550058500-01
- b. (OAK83) R0779

1

c. (09647) 508-C-8540

*** END OF NARRATIVE A 001 ***

Regulatory Cite Title Date

52.204-4849 ACCEPTANCE APPENDIX--SOLICITATION/CONTRACT NUMBERS MAR/2000
(TACOM)

(a) Purchase Order Number: W56HZV-04-P-0432 is awarded to Highland Engineering, Inc. The Government accepts your quote dated 24 November 2003 in response to Solicitation Number: W56HZV-04-Q-0146, signed by Ralph S. Beebe, Vice President of your company.

[end of clause]

2 52.204-4016 TACOM-WARREN ELECTRONIC CONTRACTING JUL/2003 (TACOM)

- (a) TACOM is now operating in an electronic contracting environment. All TACOM solicitations and awards are now distributed on the TACOM Warren Business Opportunities web page (http://contracting.tacom.army.mil/opportunity.htm) and are no longer available in hard copy. The TDPs and other documents, when available electronically, will be an attachment or linked to the solicitation package on the web. Please see submission guidelines at http://contracting.tacom.army.mil/userguide.htm and http://contracting.tacom.army.mil/ebidnotice.htm for more information. Any requirements included in the solicitation take precedence over guidance found on the TACOM contracting web page.
- (b) You may need to use special software to view documents that we post on the home page. This viewing software is freeware, available for download at no cost from commercial web sites like Microsoft and Adobe. In cases where such software is required, we provide a link from our page to the commercial site where the software is available. Once you arrive at the software developer's site, follow their instructions to download the free viewer. You then can return to the TACOM home page.
- (c) You are required to submit your offer, bid, or quote electronically. See the provision entitled "Electronic Offers (or 'Quotes' or 'Bids') Required in Response to This Solicitation (or 'Request for Quotations')" for more specific information.
- (d) Any award issued as a result of this solicitation will be distributed electronically. Awards posted on the TACOM Warren Business Opportunities web page represent complete OFFICIAL copies of contract awards and will include the awarded unit price. This is the notice required by Executive Order 12600 (June 23, 1987) of our intention to release unit prices in response to any request under the Freedom of Information Act (FOIA), 5 USC 552. Unit price is defined as the contract price per unit or item purchased as it appears in Section B of the contract and is NOT referring to nor does it include Cost or Pricing data/information. If you object to such release, and you intend on submitting an offer, notify the PCO in writing prior to the closing date identified in this solicitation and include the rationale for your objection consistent with the provisions of FOIA. A release determination will be made based on rationale given.
- (e) If you have questions or need help in using the Acquisition Center Home Page, call our Electronic Contracting Help Desk at (586) 574-7059, or send an email message to: acqcenweb@tacom.army.mil
- (f) If you have questions about the content of any specific item posted on our home page, please call the buyer or point of contact listed for the item. Additional help is available to small businesses from Government-funded Electronic Commerce Regional Centers (ECRCs) to implement EDI. Information on ECRC is available at http://www.ecrc.ctc.com

[End of Clause]

Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0432

MOD/AMD

Page 3 **of** 16

Name of Offeror or Contractor: HIGHLAND ENGINEERING, INC.

Inspection/Acceptance at origin means that you MUST contact the DCMC to arrange for a Government inspection BEFORE you ship the supplies called out in this order. Failure to have the items inspected and accepted will result in their rejection at the destination. The rejected supplies will be returned to you at your expense. (End of narrative A001) NSN: 6645-01-326-7316 FSCM: 0AK83 PART NR: R0779 SECURITY CLASS: Unclassified				
contact the DCMC to arrange for a Government inspection BEFORE you ship the supplies called out in this order. Failure to have the items inspected and accepted will result in their rejection at the destination. The rejected supplies will be returned to you at your expense. (End of narrative A001) NSN: 6645-01-326-7316 FSCM: 0AK83 PART NR: R0779				
NSN: 6645-01-326-7316 FSCM: 0AK83 PART NR: R0779				
FSCM: OAK83 PART NR: R0779				
PRODUCTION QUANTITY	50	EA	\$1,630.00000	\$81,500.00
NOUN: TIMER ASSY PRON: EH387126EH PRON AMD: 02 ACRN: AA AMS CD: 060011 ALL ITEMS PROCURED UNDER THIS SUB-CLIN SHALL BE PACKAGED AND MARKED IN ACCORDANCE WITH STANDARD COMMERCIAL PRACTICE AS DEFINED IN ASTM-D-3951-95. ASTM-D-3951-95 SPECIFIES THAT ALL EXTERIOR PACKS AND CONTAINERS SHALL BE LEGIBLY AND DURABLY MARKED IN ACCORDANCE WITH MIL-STD-129, AND THAT BAR CODE MARKINGS SHALL BE APPLIED IN ACCORDANCE WITH MIL-STD-129 (End of narrative D001) Packaging and Marking PACKAGING/PACKING/SPECIFICATIONS: STD. COMMERCIAL PKG. UNIT PACK: 01 LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial				
Inspection and Acceptance INSPECTION: Origin ACCEPTANCE: Origin				
Deliveries or Performance DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001 W56HZV32323302 W62G2X J 2 DEL REL CD QUANTITY DEL DATE 001 50 25-JUN-2004				
	NOUN: TIMER ASSY PRON: EH387126EH PRON AMD: 02 ACRN: AA AMS CD: 060011 ALL ITEMS PROCURED UNDER THIS SUB-CLIN SHALL BE PACKAGED AND MARKED IN ACCORDANCE WITH STANDARD COMMERCIAL PRACTICE AS DEFINED IN ASTM-D-3951-95. ASTM-D-3951-95 SPECIFIES THAT ALL EXTERIOR PACKS AND CONTAINERS SHALL BE LEGIBLY AND DURABLY MARKED IN ACCORDANCE WITH MIL-STD-129, AND THAT BAR CODE MARKINGS SHALL BE APPLIED IN ACCORDANCE WITH MIL-STD-129 (End of narrative D001) Packaging and Marking PACKAGING/PACKING/SPECIFICATIONS: STD. COMMERCIAL PKG. UNIT PACK: 01 LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial LINSPECTION: Origin ACCEPTANCE: Origin Deliveries or Performance DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001 W56HZV32323302 W62G2X J 2 DEL REL CD QUANTITY DEL DATE	NOUN: TIMER ASSY PRON: EH387126EH PRON AMD: 02 ACRN: AA AMS CD: 060011 ALL ITEMS PROCURED UNDER THIS SUB-CLIN SHALL BE PACKAGED AND MARKED IN ACCORDANCE WITH STANDARD COMMERCIAL PRACTICE AS DEFINED IN ASTM-D-3951-95. ASTM-D-3951-95 SPECIFIES THAT ALL EXTERIOR PACKS AND CONTAINERS SHALL BE LEGIBLY AND DURABLY MARKED IN ACCORDANCE WITH MIL-STD-129, AND THAT BAR CODE MARKINGS SHALL BE APPLIED IN ACCORDANCE WITH MIL-STD-129 (End of narrative D001) Packaging and Marking PACKAGING/PACKING/SPECIFICATIONS: STD. COMMERCIAL PKG. UNIT PACK: 01 LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial Inspection and Acceptance INSPECTION: Origin ACCEPTANCE: Origin Deliveries or Performance DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001 W56HZV32323302 W62G2X J 2 DEL REL CD QUANTITY DEL DATE	NOUN: TIMER ASSY PRON: EH387126EH PRON AMD: 02 ACRN: AA AMS CD: 060011 ALL ITEMS PROCURED UNDER THIS SUB-CLIN SHALL BE PACKAGED AND MARKED IN ACCORDANCE WITH STANDARD COMMERCIAL PRACTICE AS DEFINED IN ASTM-D-3951-95. ASTM-D-3951-95 SPECIFIES THAT ALL EXTERIOR PACKS AND CONTAINERS SHALL BE LEGIBLY AND DURABLY MARKED IN ACCORDANCE WITH MIL-STD-129, AND THAT BAR CODE MARKINGS SHALL BE APPLIED IN ACCORDANCE WITH MIL-STD-129 (End of narrative D001) Packaging and Marking PACKAGING/PACKING/SPECIFICATIONS: STD. COMMERCIAL PKG. UNIT PACK: 01 LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial LEVEL PACKING: Commercial LINSPECTION: Origin ACCEPTANCE: Origin Deliveries or Performance DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001 W56HZV32323323302 W62GZX J 2 DEL REL CD QUANTITY DEL DATE	NOUN: TIMER ASSY PRON: EH387126EH PRON AMD: 02 ACRN: AA AMS CD: 060011 ALL ITEMS PROCURED UNDER THIS SUB-CLIN SHALL BE PACKAGED AND MARKED IN ACCORDANCE WITH STANDARD COMMERCIAL PRACTICE AS DEFINED IN ASIM-D-3951-95. ASIM-D-3951-95 SPECIFIES THAT ALL EXTERIOR PACKS AND CONTAINERS SHALL BE LEGIBLY AND DURABLY MARKED IN ACCORDANCE WITH MIL-STD-129, AND THAT BAR CODE MARKINGS SHALL BE APPLIED IN ACCORDANCE WITH MIL-STD-129 (End of narrative D001) Packaging and Marking PACKAGING/PACKING/SPECIFICATIONS: STD. COMMERCIAL PKG. UNIT PACK: 01 LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial Inspection and Acceptance INSPECTION: Origin ACCEPTANCE: Origin Deliveries or Performance DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001 W56HZV32323302 W62GZX J 2 DEL REL CD QUANTITY DEL DATE

Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0432

MOD/AMD

Page 4 of 16

Name of Offeror or Contractor: HIGHLAND ENGINEERING, INC

TEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	FOB POINT: Destination				
	SHIP TO: PARCEL POST ADDRESS				
	(W62G2X) XU TRANSPORTATION OFFICE				
	SIERRA ARMY DEPOT				
	74 C STREET BLDG 304				
	HERLONG CA 96113-5520				
	CONTRACT/DELIVERY ORDER NUMBER				
	W56HZV-04-P-0432/0000				

	CONTIN	II A TELONI	CHEET	Refer	Page 5 of 16					
	CONTIN	UATION	SHEET	PIIN/SIIN	W56HZV-04-P-0432		MO	D/AMD		
Name	of Offeror or	Contractor	HIGHLAND E	NGINEERING, INC.						
CONTRAC	T ADMINISTRA	TION DATA								
	PRON/						JOB			
LINE	AMS CD/	OBLG					ORDER	ACCOUNT	ING	OBLIGATED
<u>ITEM</u>	MIPR	ACRN STAT	ACCOUNTING	CLASSIFICATION			NUMBER	STATION		AMOUNT
0001AA	ЕН387126ЕН	AA 2	97 X4930A	C9D 6D	26KB	S20113		W56HZV	\$	81,500.00
	060011									
								TOTAL	\$	81,500.00
SERVICE	1						ACC	OUNTING		OBLIGATED
NAME	TOTA	L BY ACRN	ACCOUNTING	CLASSIFICATION			STA'	rion		AMOUNT
Army		AA	97 X4930A	C9D 6D	26KB	S20113	W561	HZV	\$ _	81,500.00
								TOTAL	\$	81,500.00

CONTINUATION SHEET	Reference No. of Document Bei	ng Continued	Page 6 of 16
CONTINUATION SHEET	PIIN/SIIN W56HZV-04-P-0432	MOD/AMD	

Name of Offeror or Contractor: HIGHLAND ENGINEERING, INC.

TRACT CL	AUSES		
3	52.211-5	MATERIAL REQUIREMENTS	AUG/2000
4	52.219-6	NOTICE OF TOTAL SMALL BUSINESS SET-ASIDE	JUN/2003
5	52.222-21	PROHIBITION OF SEGREGATED FACILITIES	FEB/1999
6	52.225-13	RESTRICTIONS ON CERTAIN FOREIGN PURCHASES	JUN/2003
7	52.232-33	PAYMENT BY ELECTRONIC FUNDS TRANSFERCENTRAL CONTRACTOR REGISTRATION	OCT/2003
8	52.246-1	CONTRACTOR INSPECTION REQUIREMENTS	APR/1984
9	52.246-2	INSPECTION OF SUPPLIESFIXED PRICE	AUG/1996
10	252.211-7005	SUBSTITUTIONS FOR MILITARY OR FEDERAL SPECIFICATIONS AND STANDARDS	FEB/2003
11	252.225-7001	BUY AMERICAN ACT AND BALANCE OF PAYMENTS PROGRAM	APR/2003
12	252.225-7016	RESTRICTION ON ACQUISITION OF BALL AND ROLLER BEARINGS (Alternate I	DEC/2000
		dated Dec 2000)	
13	52.204-4006	INCORPORATION OF TACOM MASTER SOLICITATION FOR SIMPLIFIED	MAY/2000
	(TACOM)	ACQUISITIONS AND DESIGNATION OF F.O.B. POINT	

- (a) This Request for Quotation (RFQ) or Purchase Order (PO) incorporates by reference TACOM-Warren's Master Solicitation for Simplified Acquisitions with the same force and effect as though the clauses and provisions it contains were physically incorporated into this document. The version in effect at time of award is the version that applies to your purchase order.
- (b) The TACOM-Warren Master Solicitation for Simplified Acquisitions is available on our Electronic Contracting web page, which you can reach using the following URL address: http://contracting.tacom.army.mil/opportunity.htm
- (c) The clauses and provisions in Section I of the Master Solicitation apply to all TACOM-Warren RFQs and Purchase Orders that contain this clause. The clauses contained in Section II of the Master Solicitation applies in addition to those in Section I when the RFQ or PO specifies F.O.B. Origin.
 - (d) We hereby specify that the required F.O.B. point for this acquisition is DESTINATION.
- (e) We will keep the Master Solicitation identified in this clause available on our Electronic Contracting web page during the entire period of performance of the purchase order. If the current Master Solicitation later is revised to incorporate a change in any of the clauses, the version specified in this clause will be retained, intact, in an archive area on our web page for continued reference and use.

[End of Clause]

14 52.211-4015 CONFIGURATION CONTROL--ENGINEERING CHANGES JUL/2002 (TACOM)

(a) DEFINITIONS:

- (1) Engineering Change Proposal (ECP). An ECP is a suggestion that we (the Government) permanently change some requirement of the Technical Data Package (TDP). ECPs can be issued before or during contract performance. NOTE: The current Government Standard allows us ninety days to process routine ECPs. If you (the contractor) need a response in less than ninety days to meet contract requirements, you should consider submitting a deviation along with your ECP.
- (2) Request for Deviation (RFD). A RFD is a one-time request to deviate from TDP requirements. You must submit your deviation request before you deviate from the TDP requirements. You can request a deviation for a specific number of parts or the entire contract quantity.
 - (3) Value Engineering Change Proposal (VECP). A proposal that --
 - (i) Requires a change to the instant contract; and
- (ii) Results in reducing the overall projected cost to the agency without impairing essential functions or characteristics; provided, that it does not involve a change --
 - (A) In deliverable end item quantities only;
 - (B) In research and development (R&D) end items or R&D test quantities that is due solely to results of previous testing under this contract; or
 - (C) To the contract type only.

		_	
CONTIN	ITTA TITA		
	WALK		SHEEL

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-P-0432

MOD/AMD

Page 7 of 16

Name of Offeror or Contractor: HIGHLAND ENGINEERING, INC.

- (4) Notice of Revision (NOR). A NOR describes the proposed changes to a technical document being requested by an ECP.
- (b) When will TACOM start processing change requests? TACOM won't start processing any ECP, VECP, or RFD until we receive the ACO's comments (see paragraph (e) below) and the ECP, VECP, or RFD documentation.
- (c) Contractor Responsibility. ECPs, VECPs, and RFD shall contain information per the instructions outlined on the Data Delivery Descriptions (DDDs) which can be found at the following website: http://contracting.tacom.army.mil/engr/engrchange.htm. Forms for preparing an ECP, VECP, or a RFD can also be found at this website. You may use other media, as long as you give us all the information outlined in the DDDs.
 - (1) Identify the two-digit Weapon System Code (WSC) on your submittal. The WSC for this procurement is UF
- (2) The Contractor shall submit ECPs/VECPs/RFDs to the Government electronically. You must use one of the following electronic mediums: 100 megabyte Zip*-disk, 3 1/2 inch disk, 650 megabyte CD ROM, or E-mail. (E-mail files must be sized 3.5 mb or less.) Identify the software application, and version, that you used to create each file submitted.
- (3) ECPs/VECPs/RFDs submitted in paper form are unacceptable and will be returned. You must use one of the following electronic formats:
- (i) Files readable using these Microsoft 97 Office Products: Word, Excel, PowerPoint, or Access. Spreadsheets must be sent in a file format that includes all formulae, macro and format information. Print image is not acceptable.
 - (ii) Files in Adobe PDF (Portable Document Format).
- (iii) Files in HTML (Hypertext Markup Language). HTML documents must not contain active links to live Internet sites or pages. All linked information must be contained within your electronic ECPs/VECPs/RFDs and be accessible offline.
- (iv) Other electronic formats. Before preparing your ECPs, VECPs or RFDs in any other electronic format, please e-mail the engineer, copy-furnished to the buyer and ACO, to obtain a decision as to the format's acceptability. Failure to e-mail the engineer to seek an alternate format's acceptability may result in rejection of your submission. All alternate methods must be at no cost to the Government. NOTE: The above formats may be submitted in compressed form using self-extracting files.
 - (d) Submittal Procedures for ECPs/VECPs/RFDs.
 - (1) Send one copy of the ECP, VECP or RFD in electronic format to your ACO.
 - (2) Send one copy of the ECP, VECP or RFD in electronic format to the buyer listed on the solicitation/ contract document.

WARNING - Submit complete, legible, virus free packages per paragraphs 1 and 2 above, or we may return your ECP/VECP/RFD without processing them.

(e) ACO Responsibility. Within ten working days from the day you receive the contractor's request, the ACO must prepare Comments on the ECP, VECP, or RFD in electronic format, and forward it as follows:

ECPs, VECPs, and RFDs. Email a copy of the contractor's request and ACO comments (DD Form 1998) to the engineer Larry Turnipseed, AMSTA-TR-D, 586-574-7744 and the buyer identified in block 7 of the solicitation cover sheet (SF 33), block 5 on the Standard Form 26, or block 6 on the DD Form 1155.

- (f) Approval of ECPs, VECPs and RFDs.
- (1) ECPs should be used to make permanent changes in the Government Technical Data Package (TDP). Contractual relief should be requested using a Request for Deviation. This is because the Government requires more time to analyze any proposal to permanently change the specification or TDP. Cost saving improvements to the TDP should be submitted as a VECP, if a VE clause is contained in the contract.
- (2) ECPs. TACOM will review and make a decision within the ninety day timeframe. Notification of our decision will be made by the contracting officer or representative.
 - (3) RFDs. Decision on RFDs will be made within 30 days from the date we receive them from the ACO.
- (g) Processing Emergency and Urgent ECPs. Ordinarily, ECPs submitted by the contractor will be deemed routine. If you submit an ECP that you consider to be an emergency or urgent (as defined in paragraph 11 of DDD for ECPs), you must immediately notify the PCO. TACOM will review the criticality of the ECP, and, if we determine that it is urgent or critical, we'll follow the appropriate processing time-frames as outlined in paragraph 11 of the DDD for ECPs.

CONTINUATION SHEET	Reference No. of Document Being Continued	Page 8 of 16
CONTINUATION SHEET	PIIN/SIIN W56HZV-04-P-0432 MOD/AMD	

Name of Offeror or Contractor: HIGHLAND ENGINEERING, INC.

- (h) Reminder Only the PCO can change the Contract. NO OTHER GOVERNMENT REPRESENTATIVE is authorized to make a commitment for, or bind the Government.
 - (i) RFDs shall contain sufficient pricing data to determine if a downward equitable adjustment to the contract is required.
 - (j) Questions.
- (1) Questions about preparation and submittal of change request should be directed to the Government Quality Assurance Representative (QAR).
- (2) Questions about the status of change requests you've already submitted, contact the buyer. You can find the buyer's name, number and e-mail address in block 7 of the solicitation cover sheet (SF 33), block 5 on the Standard Form 26, or block 6 on the DD Form 1155.

[End of Clause]

15 52.211-4517 PACKAGING REQUIREMENTS (COMMERCIAL) SEP/2003 (TACOM)

(a) The preservation, packing, and marking requirements for this contract/order shall be accomplished in accordance with the performance requirements defined herein. The following Packaging requirements shall apply:

LEVEL OF PRESERVATION: Commercial

LEVEL OF PACKING: Commercial

QUANTITY PER UNIT PACKAGE: 001

- (1) Packaging: Preservation, packaging, packing, unitization and marking furnished by the supplier shall provide protection for a minimum of one year and meet or exceed the following requirements. It also provides for multiple handling, redistribution and shipment by any mode.
- (2) Cleanliness: Items shall be free of dirt and other contaminants which would contribute to the deterioration of the item or which would require cleaning by the customer prior to use. Coatings and preservatives applied to the item for protection are not considered contaminants.
- (3) Preservation: Items susceptible to corrosion or deterioration shall be provided protection by means of preservative coatings, volatile corrosion inhibitors, desiccants, waterproof and/or watervaporproof barriers.
- (4) Cushioning: Items requiring protection from physical and mechanical damage (e.g. fragile, sensitive, material critical) or which could cause physical damage to other items, shall be protected by wrapping, cushioning, pack compartmentalization, or other means to mitigate shock and vibration to prevent damage during handing and shipment.
- (b) Unit Package: A unit package shall be so designed and constructed that it will contain the contents with no damage to the item(s), and with minimal damage to the unit pack during shipment and storage in the shipping container, and will allow subsequent handling. The outermost component of a unit package shall be a container such as a sealed bag, carton or box.

(c) Unit Package Quantity: Unless otherwise specified, the unit package quantity shall be one each part, set, assembly, kit, etc.

- (d) Intermediate Package: Intermediate packaging is required whenever one or more of the following conditions exists:
 - (1) The quantity is over one (1) gross of the same national stock number,
 - (2) Use enhances handling and inventorying,
 - (3) The exterior surfaces of the unit pack is a bag of any type, regardless of size,
 - (4) The unit pack is less than 64 cubic inches,
 - (5) The weight of the unit pack is under five (5) pounds and no dimension is over twelve (12) inches.

Intermediate containers shall be limited to a maximum of 100 unit packs, a net load of 40 pounds, or a maximum volume of 1.5 cubic feet, whichever occurs first.

(e) Packing:

(1) Unit packages and intermediate packages not meeting the requirements for a shipping container shall be packed in shipping containers. All shipping containers shall be the most cost effective and shall be of minimum cube to contain and protect the items.

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-P-0432

MOD/AMD

Page 9 of 16

Name of Offeror or Contractor: HIGHLAND ENGINEERING, INC.

- (2) Shipping Containers: The shipping container (including any necessary blocking, bracing, cushioning, or waterproofing) shall comply with the regulations of the carrier used and shall provide safe delivery to the destination at the lowest tariff cost. The shipping container shall be capable of multiple handling, stacking at least ten feet high, and storage under favorable conditions (such as enclosed facilities) for a minimum of one year.
 - (f) Unitization: Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more unless skids or other forklift handling features are included on the containers. Pallet loads must be stable, and to the greatest extent possible, provide a level top for ease of stacking. A palletized load shall be of a size to allow for placement of two loads high and wide in a conveyance. The weight capacity of the pallet must be adequate for the load. The preferred commercial expendable pallet is a 40 x 48 inch, 4-way entry pallet although variations may be permitted as dictated by the characteristics of the items being unitized. The load shall be contained in a manner that will permit safe handling during shipment and storage.

(g) Marking:

- (1) All unit packages, intermediate packs, exterior shipping containers, and, as applicable, unitized loads shall be marked in accordance with MIL-STD-129, Revision P, dated 15 Dec 2002, including bar coding. The contractor is responsible for application of special markings as discussed in the Military Standard regardless of whether specified in the contract/order or not. Special markings include, but are not limited to, Shelf-life markings, structural markings, and transportation special handling markings. The marking of pilferable and sensitive materiel will not identify the nature of the materiel.
- (2) Contractors and vendors shall apply identification and address markings with bar codes in accordance with this standard. For shipments moving to overseas locations and for mobile deployable units, the in-the-clear address must also include the host country geographic address and the APO/FPO address. A Military Shipment Label (MSL) is required for all shipments except contractor to contractor. The MSL will include both linear and 2D bar codes per the standard. DVD shipment documentation must also be marked with additional bar codes. The DD Form 250 or the commercial packing list shall have additional issue/receipt bar coding applied as per Direct Vendor Delivery Shipments in the standard (except for deliveries to DLA Distribution Depots, e.g. New Cumberland, San Joaquin, Red River, Anniston). Packing lists are required in accordance with the Standard, see paragraph 5.3
- (3) Contractor to contractor shipments shall have the address markings applied to the identification marked side of the exterior shipping container or to the unitized load markings. The following shall be marked "FROM: name and address of consignor and TO: name and address of consignee".
- (4) Military Shipping Label: : Military Shipment Labels (MSLs) may be created using commercially available programs. These commercial programs can generate a MIL-STD-129 and Defense Transportation Regulation compliant MSLs and package labels. For example, the EasyForm MSL at <http://www.easysoftcorp.com/products/Software/MSL.html>. Insure that the ship to and mark for in-the-clear delivery address is complete including: consignees name, organization, department name, office, building, room, street address, city, state, country code, & DODAAC.
 - (h) Hazardous Materials(As applicable):
 - (1) Hazardous Materials is defined as a substance, or waste which has been determined by the Secretary of Transportation to be capable of posing an unreasonable risk to health, safety, and property when transported in commerce and which has been so designated. (This includes all items listed as hazardous in Titles 29, 40 and 49 CFR and other applicable modal regulations effective at the time of shipment.)
 - (2) Packaging and marking for hazardous material shall comply with the requirements herein for the mode of transport and the applicable performance packaging contained in the following documents:

International Air Transport Association (IATA) Dangerous Goods Regulations

International Maritime Dangerous Goods Code (IMDG)

Code of Federal Regulations (CFR) Title 29, Title 40 and Title 49

Joint Service Regulation AFJMAN24-204/TM38-250/NAVSUPPUB 505/MCO

P4030.19/DLAM 4145.3 (for military air shipments).

- (3) If the shipment originates from outside the continental United States, the shipment shall be prepared in accordance with the United Nations Recommendations on the Transport of Dangerous Goods in a manner acceptable to the Competent Authority of the nation of origin and in accordance with regulations of all applicable carriers.
- (4) A Product Material Safety Data Sheets (MSDS) is required to be included with every unit pack and intermediate container and shall be included with the packing list inside the sealed pouch attached to the outside of the package.
- (i) Heat Treatment and Marking of Wood Packaging Materials: Boxes/pallets and any wood used as inner packaging made of nonmanufactured wood shall be heat-treated. All non-manufactured wood used in packaging shall be heat treated to a core temperature of 56 degrees Celsius for a minimum of 30 minutes. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall be affiliated with an inspection agency accredited by the board of review of the American Lumber Standard Committee. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall ensure traceability to the original source of heat treatment. Marking. Each box/pallet shall be marked to show the conformance to the International Plant Protection Convention Standard. The quality mark shall be placed on both ends of the outer packaging, between the end cleats or end battens; on two sides of the pallet. Foreign manufacturers shall have the heat treatment of non-manufactured wood products verified in accordance with their National Plant

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-P-0432

MOD/AMD

Page 10 of 16

Name of Offeror or Contractor: HIGHLAND ENGINEERING, INC.

Protection Organizations compliance program.

- (j) Quality Assurance: The contractor is responsible for establishing a quality system. Full consideration to examinations, inspections, and tests will be given to ensure the acceptability of the commercial package.
 - (k) SUPPLEMENTAL INSTRUCTIONS: NONE

[End of clause]

16 52.246-4005 INSPEC

INSPECTION AND ACCEPTANCE POINTS: ORIGIN

FEB/1995

- (1110011)
- (a) Inspection and acceptance of supplies offered under this purchase order shall take place as specified herein. Inspection:
 ORIGIN Acceptance: ORIGIN
 - (b) Origin inspection shall take place at the site specified below:

Highland Engineering, Inc. 1153 Grand Oaks Howell, MI 48843

[End of Clause]

17 52.246-4052

HIGHER-LEVEL CONTRACT QUALITY REQUIREMENT--TACOM QUALITY SYSTEM

MAR/2000

(TACOM) REQUIREMENT

The Quality System for this procurement is: ISO 9002

[End of Clause]

18 52.246-4053

USE OF MIL-STD 1916

JAN/2001

(TACOM)

The Government will not accept lots whose samples submitted for acceptance contain nonconformances unless appropriately documented and approved by the contracting officer. The contractor shall use MIL-STD- 1916, DOD Preferred Methods of Acceptance of Product. The Verification Level (VL) shall be VL IV for major characteristics and VL II for minor characteristics. MIL-HDBK-1916 provides guidance on the use of MIL-STD 1916. This handbook is not contractually binding.

[End of Clause]

19 52.247-48

 ${\tt F.O.B.} \ {\tt DESTINATION--EVIDENCE} \ {\tt OF} \ {\tt SHIPMENT} \ ({\tt DEVIATION})$

JUL/1995

- (a) If this contract is awarded on an f. o. b. destination basis, and if transportation is accomplished by common carrier, parcel post, or other than common carrier, the Contractor agrees not to invoice until the supplies are shipped, and to retain the following evidence of shipment (EOS) documentation for a period of 4 years after completion of the contract.
- (1) If transportation is accomplished by common carrier, the Contractor will retain a signed copy of the commercial bill of lading of the supplies covered by the invoice, indicating the carrier's intent to ship said supplies to the destination specified in the contract.
 - (2) If transportation is accomplished by parcel post, the Contractor will retain a copy of the mailing certificate, or
- (3) If transportation is by other than common carrier or parcel post, the Contractor will retain the receipt copy of the appropriate delivery document showing receipt at the destination in the contract.
- (b) Retention of the above EOS documentation and having the documentation available for subsequent review, if needed, eliminates the requirement to provide these documents with the Contractor's paper, or electronically transmitted, invoices.

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-P-0432

MOD/AMD

Page 11 of 16

Name of Offeror or Contractor: HIGHLAND ENGINEERING, INC.

[End of Clause]

20 252.247-7023 TRANSPORTATION OF SUPPLIES BY SEA (Alternate III dated May 2002)

MAY/2002

- (a) Definitions. As used in this clause--
- (1) <u>Components</u> means articles, materials, and supplies incorporated directly into end products at any level of manufacture, fabrication, or assembly by the Contractor or any subcontractor.
 - (2) Department of Defense (DoD) means the Army, Navy, Air Force, Marine Corps, and defense agencies.
 - (3) Foreign flag vessel means any vessel that is not a U.S.-flag vessel.
 - (4) Ocean transportation means any transportation aboard a ship, vessel, boat, barge, or ferry through international waters.
- (5) <u>Subcontractor</u> means a supplier, materialman, distributor, or vendor at any level below the prime contractor whose contractual obligation to perform results from, or is conditioned upon, award of the prime contract and who is performing any part of the work or other requirement of the prime contract. However, effective May 1, 1996, the term does not include a supplier, materialman, distributor, or vendor of commercial items or commercial components.
- (6) <u>Supplies</u> means all property, except land and interests in land, that is clearly identifiable for eventual use by or owned by the DoD at the time of transportation by sea.
- (i) An item is clearly identifiable for eventual use by the DoD if, for example, the contract documentation contains a reference to a DoD contract number or a military destination.
- (ii) <u>Supplies</u> includes (but is not limited to) public works; buildings and facilities; ships; floating equipment and vessels of every character, type, and description, with parts, subassemblies, accessories, and equipment; machine tools; material; equipment; stores of all kinds; end items; construction materials; and components of the foregoing.
- (7) <u>U.S.-flag vessel</u> means a vessel of the United States or belonging to the United States, including any vessel registered or having national status under the laws of the United States.
 - (b)(1) The Contractor shall use U.S.-flag vessels when transporting any supplies by sea under this contract.
 - (2) A subcontractor transporting supplies by sea under this contract shall use U.S.-flag vessels if-
 - (i) This contract is a construction contract; or
 - (ii) The supplies being transported are-
 - (A) Noncommercial items; or
 - (B) Commercial items that-
 - (1) The Contractor is reselling or distributing to the Government without adding value (generally,
 - the Contractor does not add value to items that it subcontracts for f.o.b. destination shipment);
 - (2) Are shipped in direct support of U.S. military contingency operations, exercises, or forces deployed in humanitarian or peacekeeping operations; or
 - (3) Are commissary or exchange cargoes transported outside of the Defense Transportation System in accordance with 10 U.S.C. 2643.
- (c) The Contractor and its subcontractors may request that the Contracting Officer authorize shipment in foreign-flag vessels, or designate available U.S.-flag vessels, if the Contractor or a subcontractor believes that--
 - (1) U.S.-flag vessels are not available for timely shipment;
 - (2) The freight charges are inordinately excessive or unreasonable; or
 - (3) Freight charges are higher than charges to private persons for transportation of like goods.
- (d) The Contractor must submit any request for use of other than U.S.-flag vessels in writing to the Contracting Officer at least 45 days prior to the sailing date necessary to meet its delivery schedules. The Contracting Officer will process requests submitted after such date(s) as expeditiously as possible, but the Contracting Officer's failure to grant approvals to meet the shipper's sailing date will not of itself constitute a compensable delay under this or any other clause of this contract. Requests shall contain at a minimum--
 - (1) Type, weight, and cube of cargo;

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-P-0432

MOD/AMD

Page 12 of 16

Name of Offeror or Contractor: HIGHLAND ENGINEERING, INC.

- (2) Required shipping date;
- (3) Special handling and discharge requirements;
- (4) Loading and discharge points;
- (5) Name of shipper and consignee;
- (6) Prime contract number; and
- (7) A documented description of efforts made to secure U.S.-flag vessels, including points of contact (with names and telephone numbers) with at least two U.S.-flag carriers contacted. Copies of telephone notes, telegraphic and facsimile message or letters will be sufficient for this purpose.
- (e) The Contractor shall, within 30 days after each shipment covered by this clause, provide the Contracting Officer and the Division of National Cargo, Office of Market Development, Maritime Administration, U.S. Department of Transportation, Washington, DC 20590, one copy of the rated on board vessel operating carrier's ocean bill of lading, which shall contain the following information-
 - (1) Prime contract number;
 - (2) Name of vessel;
 - (3) Vessel flag of registry;
 - (4) Date of loading;
 - (5) Port of loading;
 - (6) Port of final discharge;
 - (7) Description of commodity;
 - (8) Gross weight in pounds and cubic feet if available;
 - (9) Total ocean freight in U.S. dollars; and
 - (10) Name of the steamship company.
- (f) The Contractor shall insert the substance of this clause, including this paragraph (f) in subcontracts that are for a type of supplies described in paragraph (b)(2) of this clause.

[End of Clause]

21 52.204-4005 (TACOM) REQUIRED USE OF ELECTRONIC CONTRACTING

DEC/2002

- (a) All contract awards, modifications and delivery orders issued by TACOM will be issued electronically. The contractor has the option to receive these actions either via the Worldwide Web (WWW) or Electronic Data Interchange (EDI). Many provisions/clauses that appear "by reference", meaning only clause titles and regulation site are listed; their full texts can be found at the website http://farsite.hill.af.mil/
- (b) In order to be eligible to receive an award under this solicitation, the successful offeror must be registered with the Department of Defense (DOD) Central Contractor Registration (CCR). The CCR registration process may be done electronically at the World Wide Web (WWW) site: http://www.ccr.gov/ . (In order to be registered to use EDI, you must use the long form for registration. Certification information, including information on the EDI 838 TPP, must be furnished to the Contracting Officer within 60 calendar days after contract award to complete networking requirements within the Government.)
- (c) Worldwide Web Distribution. The contractor will receive an electronic Notice of the Award, Modification, or Delivery Order via e-mail. If you choose the WWW option, you must download the file from the appropriate TACOM webpage:

Warren: http://contracting.tacom.army.mil/awards_official.htm Rock Island: http://aais.ria.army.mil/AAIS/AWDINFO/index.htm Picatinny: http://procnet.pica.army.mil/Contracts/Index.htm

Red River Army Depot: http://www.redriver.army.mil/contracting/Awards

Anniston Army Depot: http://www.anadprocnet.army.mil

CONTINUATION SHEET Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-P-0432 MOD/AMD

Name of Offeror or Contractor: HIGHLAND ENGINEERING, INC.

(d) Electronic Data Interchange. If you choose to receive contract awards, modifications and delivery orders through EDI, they will be delivered electronically via the Federal Acquisition Network (FACNET). Federal Standard Version 3050 of Standard X12 from the American National Standards Institute (ANSI) will be used as the format for these electronic transactions.

- (1) You must complete the EDI 838 Trading Partner Profile, and must agree (i) to subcontract with a DoD certified VAN or Value Added Service (VAS) provider, or (ii) to become DoD certified as a Value Added Network (VAN). The EDI 838 Training Partner Profile is contained in the basic CCR registration form and includes portions of the registration form which are titled "Optional".
- (2) You must select a VAN from the official DoD approved list. DoD Certified VANs are listed at http://www.acq.osd.mil/ec/ecip/index.htm . If your VAN is later removed from the official list, or if you voluntarily drop your initially selected VAN, then you must switch to a VAN that remains on the official DoD approved list. You must maintain an active account on a DoD approved VAN for the entire duration of the contract, beginning no later than the 60th day after award.
- (e) Unless otherwise specified elsewhere in the contract, all data items you are required to provide under this contract must be submitted electronically. Acceptable formats include:
 - (1) Microsoft* 97 Office Products (TACOM can currently read OFFICE 97* and lower.): Word, Excel, Powerpoint, or Access
 - (2) 100 OR 250 MEGABYTE ZIP*-DISK, 3 1/2 INCH DISK, OR 650 MEGABYTE CD ROM
 - (3) E-MAIL (Maximum size of each e-mail message is be three and one-half (3.5) megabytes).
- (4) Other electronic formats. Before submitting your data in any other electronic format, please e-mail the buyer identified on the face of the contract, with e-mail copy-furnished to amsta-idq@tacom.army.mil, to obtain a decision as to the format's acceptability. This e-mail must be received by the buyer not later than ten calendar days before the required data submission date.

NOTE: The above formats may be submitted in compressed form using self-extracting files.

(f) Additional information can be obtained by sending a message to: acqcenweb@tacom.army.mil or by calling (586) 574-7059.

[End of Clause]

- 22 52.204-4009 MANDATORY USE OF CONTRACTOR TO GOVERNMENT ELECTRONIC COMMUNICATION JUN/1999 (TACOM)
- (a) All references in the contract to the submission of written documentation shall mean electronic submission. All electronic submissions shall be in the formats and media described in the "Electronic Quotations/Offers/Bids Required in Response to this Request for Quotations/Proposals/Bids" clause elsewhere in this document. (See Section K for commercial acquisitions, Section L for RFPs, and Section I for RFQs.)
- (b) This shall include all written unclassified communications between the Government and the Contractor except contract awards and contract modifications which shall be posted on the internet. Return receipt shall be used if a commercial application is available. Classified information shall be handled in full accordance with the appropriate security requirements.
- (c) In order to be contractually binding, all Government communications requiring a Contracting Officer signature must be sent from the Contracting Officer's e-mail address. The Contractor shall designate the personnel with signature authority who can contractually bind the contractor. All binding contractor communication shall be sent from this contractor e-mail address(es).
- (d) Upon award, the Contractor shall provide the Contracting Officer with a list of e-mail addresses for all administrative and technical personnel assigned to this contract.
- (e) Unless exempted by the Procuring Contracting Officer in writing, all unclassified written communication after contract award shall be transmitted electronically.

[End of Clause]

23 52.211-4036 FORMAT OF THE TECHNICAL DATA PACKAGE APR/2000

(a) The TDP for the contract item is available only in electronic format via the TACOM Contracting Webpage (contracting.tacom.army.mil). TACOM-Warren has discontinued its practice of providing hard copies (i.e. CD ROM) of technical data

Page 13 of 16

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-P-0432

MOD/AMD

Page 14 of 16

Name of Offeror or Contractor: HIGHLAND ENGINEERING, INC.

packages (TDPs). You must obtain a copy of the TDP for this solicitation via the TACOM Contracting Webpage. For those TDPs not available via the webpage, the TDP will be issued free of charge in CD-ROM format. The CD-ROM includes the necessary software to access, view, and print individual images that are included in the TDP. The CD-ROM can be read in any personal computer that includes a CD-ROM drive. If your company does not have a personal computer with a CD-ROM drive, you can take the CD-ROM disk to any of various commercial computing or copying/printing service, to have hard copies produced.

(b) TDPs available via the TACOM Contracting Webpage may be purchased in CD ROM format for a fee of \$4.60 each. Requests for CD ROMs and payment should be mailed to:

USATACOM AMSTA-CM-CDD (TDP Requests) Warren, MI 48397-5000

Make checks payable to the United States Treasury. Points of Contact for this initiative: Gerri Mackey and Diane Woods at (586) 574-7061, and Gloria McCullough at (586) 574-7064.

[End of Provision]

24 52.213-4007 QUOTER REPRESENTATIONS (REQUEST FOR QUOTATIONS) FEB/1998 (TACOM)

(a) As part of this quotation, we represent as the quoter that we--

[] Do [] Do Not

anticipate that any supplies will be transported by sea in the performance of any purchase order resulting from this quotation.

(b) The term <u>supplies</u> is defined in the <u>Transportation of Supplies by Sea</u> clause, in DFARS 252.247-7023 to include all materials and components that, when purchased and transported by sea, are intended for use in items to be sold to the Government under this purchase order.

[End of Clause]

25 52.213-4010 ADDITIONAL GENERAL CLAUSES (TACOM)

FEB/1997

The following three FAR clauses apply to this purchase order, in addition to the other clauses contained in, or cited in, the document:

(1) CHANGES-FIXED-PRICE
52.243-1

(AUG 1987)

- (i) The Contracting Officer may at any time, by written order, and without notice to the sureties, if any, make changes within the general scope of this contract in any one or more of the following:
 - (A) Drawings, designs, or specifications when the supplies to be furnished are to be specially manufactured for the Government in accordance with the drawings, designs, or specifications.
 - (B) Method of shipment or packing.
 - (C) Place of delivery.
- (ii) If any such change causes an increase or decrease in the cost of, or the time required for, performance of any part of the work under this contract, whether or not changed by the order, the Contracting Officer shall make an equitable adjustment in the contract price, the delivery schedule, or both, and shall modify the contract.
- (iii) The Contractor must assert its right to an adjustment under this clause within 30 days from the date of receipt of the written order. However, if the Contracting Officer decides that the facts justify it, the Contracting Officer may receive and act upon a proposal submitted before final payment of the contract.

CONTINUATION SHEET Reference No. of Document Being Continued Page 15 of 16 PIIN/SIIN W56HZV-04-P-0432 MOD/AMD

Name of Offeror or Contractor: HIGHLAND ENGINEERING, INC.

(iv) If the Contractor's proposal includes the cost of property made, obsolete or excess by the change, the Contracting Officer shall have the right to prescribe the manner of the disposition of the property.

(v) Failure to agree to any adjustment shall be a dispute under the Disputes clause. However, nothing in this clause shall excuse the Contractor from proceeding with the contract as changed.

[End of Clause]

(2) TERMINATION FOR CONVENIENCE OF THE GOVERNMENT 52.249-1

(APR 1984)

The Contracting Officer, by written notice, may terminate this contract, in whole or in part, when it is in the Government's interest. If this contract is terminated, the rights, duties, and obligations of the parties, including compensation to the Contractor, shall be in accordance with Part 49 of the Federal Acquisition Regulation in effect on the date of this contract.

[End of Clause]

(3) DEFAULT--FIXED-PRICE SUPPLY AND SERVICE 52.249-8

(APR 1984)

The Contracting Officer, by written notice, may terminate this contract, in whole or in part, for failure of the Contractor to perform any of the provisions hereof. See referenced FAR cite for full provision.

[End of Clause]

26 52.215-4404 DATA AND COMMUNICATIONS SUBMITTED TO THE GOVERNMENT ELECTRONICALLY MAY/2002 (TACOM)

- (a) The Government often employs contractors as system administrators to operate and maintain Government computer systems. These systems include local area networks, web sites, databases, other electronic records, e-mail accounts, other electronic data transfer mechanisms and computer software. The employees of these contracted system administrators sign nondisclosure agreements obligating them not to reveal information contained in files, documents, computers or systems that they administer. However, unless such information is protected in some way, contracted system administrators do have the ability to access such information.
- (b) Potential contractors as well as any other parties are thus advised to take steps needed to prevent access by contracted system administrators to information submitted electronically to the Government. Absent such steps, it is assumed that contracted system administrators are permitted the capability to access the data. The access will be limited to that which is necessary for the contract system administrator to perform its duties for the Government. The access shall be subject to the condition that third party information is not to be revealed by the contracted system administrator.

[End of Clause]

27 52.247-4016 HEAT TREATMENT AND MARKING OF WOOD PACKAGING MATERIALS JUL/2002 (TACOM)

ALL NON-MANUFACTURED WOOD USED IN PACKAGING SHALL BE HEAT TREATED TO A CORE TEMPERATURE OF 56 DEGREES CELSIUS FOR A MINIMUM OF 30 MINUTES. THE BOX/PALLET MANUFACTURER AND THE MANUFACTURER OF WOOD USED AS INNER PACKAGING SHALL BE AFFILIATED WITH AN INSPECTION AGENCY ACCREDITED BY THE BOARD OF REVIEW OF THE AMERICAN LUMBER STANDARD COMMITTEE. THE BOX/PALLET MANUFACTURER AND THE MANUFACTURER OF WOOD USED AS INNER PACKAGING SHALL ENSURE TRACEBILITY TO THE ORIGINAL SOURCE OF HEAT TREATMENT. EACH BOX/PALLET SHALL BE MARKED TO SHOW THE CONFORMANCE TO THE INTERNATIONAL PLANT PROTECTION CONVENTION STANDARD. BOXES/PALLETS AND ANY WOOD USED AS INNER PACKAGING MADE OF NON-MANUFACTURED WOOD SHALL BE HEAT TREATED. THE QUALITY MARK SHALL BE PLACED ON BOTH ENDS OF THE OUTER PACKAGING, BETWEEN THE END CLEATS OR END BATTENS; ON TWO SIDES OF THE PALLET.

[End of Clause]

28 52.247-4458 GUARANTEED SHIPPING CHARACTERISTICS--F.O.B. DESTINATION SEP/2000 (TACOM)

(a) The offeror is required to complete subparagraph (b)(1), (2), and (3), of this clause, for each part or component, including all of its packaging. This information will be used by the Government to perform logistics management functions such as providing item

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-P-0432

MOD/AMD

Page 16 of 16

Name of Offeror or Contractor: Highland Engineering, Inc.

sustainment, planning (e.g. estimating storage costs), and redistribution. You are not liable if you give us wrong information, however since the DOD uses this data in-house in existing data bases and because this information may be used in contingency planning it, we request that the information provided be as accurate as possible.

(b) Definitions of terms commonly used in the packaging and distribution environments are defined in ASTM D996 and should be consulted if any term used herein is in question.

(1) Unit Package:

		(i)) Spec	ify the	type	e of UNIT	PACKAGE	for	each	single	uni	t of	issue	: A o	contain	er in	direct	conta	act w	vith	and	enclosing
the p	product	along	with an	y requi	red p	protectiv	re materi	als(s)(e.g	g. item	is	wrapp	ed in	neuti	al pap	er, p	olyethy	lene f	oam	cush	ion	wrapped,
seale	ed in a	waterp	proof ba	ıg, and	place	ed in a f	iberboar	d bo	x).													

	(ii)	Unit Package Exterior Size/Weight of Unit Package with contents:
		Length x Width x Depth(expressed in inches)/Weight expressed in pounds
(2)	Shippi	ng Container:
	(i)	Exterior Size of SHIPPING CONTAINER AND CONTENTS THEREIN:
		Length, x Width, x Height, (expressed in feet and inches)
	(ii)	Number of unit packages per shipping container each
	(iii)	Gross weight of Shipping container and contents Lbs.
(3)	Unitiz	ed Loads:
	(i)	Is the Load palletized, skidded, or some other platform device used as a base for handling and transporting as a single entity. Yes [] No []; describe:
	(ii)	Number of Shipping containers per pallet/skid each.
	(iii)	Weight of empty pallet, skid, platform, dolly, other device used as a base for handling and transporting materials Lbs
	(iv)	Size of Unit Load(pallet/skid including shipping container(s)assembled for handling and transportation as a single entity:
		Length, x Width, x Height, (expressed in feet and inches)
	(v)	Gross Weight of Unit Load Lbs;

[End of Clause]